
# for PACE® Model 101 with Unipolar Terminals

### **Extension Cables for Transvenous Pacing Applications**


PACE® Model 101 is primarily used for temporary transvenous cardiac pacing applications. Transvenous leads for temporary pacing are either equipped with 2 mm shrouded plug pins or exposed (naked) plug pins. Following StimConnect® extension cables are recommended for PACE® Model 101 with unipolar terminals.



# for PACE® Model 101 with Bipolar Terminal

### **Extension Cables for Transvenous Pacing Applications**

PACE® Model 101 is primarily used for temporary transvenous cardiac pacing applications. Transvenous leads for temporary pacing are either equipped with 2 mm shrouded plug pins or exposed (naked) plug pins. Following StimConnect® extension cables are recommended for PACE® Model 101 with bipolar terminals.



## for PACE® Model 203 with Unipolar Terminals

### **Extension Cables for Surgical Pacing Applications**

PACE® Model 203 is primarily used for temporary surgical cardiac pacing applications. Surgical wires (temporary myocardial electrodes or heart wires) for temporary pacing are either equipped with 2 mm exposed (naked) plug pins or 0.9 mm pins/ needles. Following StimConnect® extension cables are recommended for PACE® Model 203 with unipolar terminals.

Disposable cables are for single use, reusable extension cables can be sterilized 25 times by ethylene oxide or steam. A punch card allows the identification of the sterilization cycles.

### Disposable Extension Cable StimConnect™ Connection Connection **Surgical Pacing Pacemaker** Pacemaker- Side Patient-Side Electrode Adapters with exposed (naked) 2 mm pins Article No: 81987BL (blue) / 81987 WS (white) Exposed (naked) 0.9 mm Plugs with touch protected Connects exposed (naked) pins with pins/breaking needles 2 mm pins fitting unipolar terminals of PACE® Model 203 diameter between 0.9 to 2.0 mm Packaging Unit: 5 Pieces VVIO VDD O Article No: 81830 Plugs with exposed 2 mm pins Covered alligator clips allow fitting unipolar terminals of PACE® Model 203 versatile connection Packaging Unit: 10 Pieces

PACE® Model 203 with unipolar terminals accepting pins of 0.9 to 2.0 mm

(order number: P/N 2002)



#### Reusable Extension Cable StimConnect™



Packaging Unit: 5 Pieces



Please contact mail@osypkamed.com for other StimConnect® extension cable variants.

# for PACE® Model 300 with Unipolar Terminals

### **Extension Cables for Surgical Pacing Applications**

PACE® Model 300 is primarily used for temporary surgical cardiac pacing applications. Surgical wires (temporary myocardial electrodes or heart wires) for temporary pacing are either equipped with 2 mm exposed (naked) plug pins or 0.9 mm pins/ needles. Alligator clips facilitate extraordinary temporary pacing applications.

Disposable cables are for single use, reusable extension cables can be sterilized 25 times by ethylene oxide or steam. A punch card allows the identification of the sterilization cycles.

### Disposable Extension Cable StimConnect™ Connection Connection **Pacemaker Pacemaker-Side Patient-Side** Article No: 81987BL (blue) / 81987 WS (white) Plugs with touch protected Connects exposed (naked) pins with 2 mm pins fitting unipolar terminals of PACE® Model 203 diameter between 0.9 to 2.0 mm Packaging Unit: 5 Pieces DDD @ VVIO AAI o VDD o Article No: 81830 Plugs with exposed 2 mm pins Covered alligator clips allow fitting unipolar terminals of PACE® Model 203 versatile connection Packaging Unit: 10 Pieces

PACE® Model 300 with unipolar terminals accepting pins of 0.9 to 2.0 mm

(order number: P/N 2005)



#### Reusable Extension Cable StimConnect™



Packaging Unit: 5 Pieces



**Surgical Pacing** 

Electrode

Adapters with exposed (naked) 2 mm pins

Exposed (naked) 0.9 mm

pins/ breaking needles